00/699,312.



Cofe

PATENTS

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent of:		
Comer et al.)	
Patent No.:	6,856,808 6	
Issued:	February 15, 2005)	Certificate MAR 0 8 2005
For:	Interconnect System and Method for) Multiple Protocol Short Message) Services)	of Correction

REQUEST FOR CERTIFICATE OF CORRECTION OF PATENT

Commissioner for Patents P. O. Box 1450 Alexandria, VA 22313-1450

Attention: Decision and Certificate of Correction

Branch of the Patent Issue Division

Sir:

It is noted that an error appears in this patent of a minor nature, as more fully described in the attached Certificate of Correction. The error occurred in good faith. Correction thereof does not involve such changes in the patent as would constitute new matter or would require re-examination. A certificate of correction is requested. Attached hereto, in duplicate, is Form PTO-1050, suitable for printing.

Patentees submit that consideration of this paper does not require a fee. However, Patentees hereby authorize the Commissioner to charge any necessary fee to Deposit Account

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope addressed to: Commissioner for Patents, Decision and Certificate of Correction Branch of the Patent Issue Division, P. O. Box 1450, Alexandria, VA 22313-1450, on March 2, 2005.

Robert T. Neufeld- Reg. No. 48,394

MAR 0 9. 2005

No. 11-0980. It is respectfully requested that the request for certificate of correction of patent be granted.

Respectfully submitted,

Robert T. Neufeld

Reg. No. 48,394

KING & SPALDING LLP 191 Peachtree Street, N.E., 45th Floor Atlanta, Georgia 30303 404.572.4600 K&S Docket No. 06931.105011 US 3705443 Printer's Trim Line

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO.

6,856,808 B1

DATED

February 15, 2005

INVENTOR(S)

Edward I. Comer and Jere Sandidge

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

The Assignee on the first page should read as follows:

(73) Assignee: Cellemetry, LLC, Atlanta, GA (US)

MAILING ADDRESS OF SENDER:

Robert T. Neufeld, King & Spalding LLP 191 Peachtree Street, N.E., 45th Floor Atlanta, Georgia 30303

FORM PTO 1050 (REV. 3-82)

PATENT NO.<u>6,856,808</u>

No. of add'l copies @ 30¢ per page

Printer's Trim Line

10 .

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO.

6,856,808 B

DATED

February 15, 2005

INVENTOR(S)

Edward I. Comer and Jere Sandidge

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

The Assignee on the first page should read as follows:

(73) Assignee: Cellemetry, LLC, Atlanta, GA (US)

MAILING ADDRESS OF SENDER:

Robert T. Neufeld, King & Spalding LLP 191 Peachtree Street, N.E., 45th Floor Atlanta, Georgia 30303

FORM PTO 1050 (REV. 3-82)

PATENT NO.6,856,808

No. of add'l copies @ 30¢ per page

 \Rightarrow

n